

**SILVELOX**  
le porte per eccellenza

**Entrance doors**  
DECLARATIONS OF CONFORMITY



## DECLARATION OF CONFORMITY

UNI EN 14351-1

The below signer representing the producer  
**SILVELOX S.p.A. I-38050 Castelnuovo (Trento) - Viale Venezia, 37 (legal and production unit)**  
**Tel. +39 0461 755 755 - Fax +39 0461 752 466**

declares that the product Entrance door model MAXIMA has been built in conformity with the following certificates released by Istituto Giordano in Bellaria (RN) and CERT in Treviso:

Requirements	Certificate	Performance	Norm applied
Burglar resistance	186195 + 210313	cl. 4	UNI-EN 1627/28/29/30
Noise reduction	204268 with standard threshold	40 dB	ISO 140/3-95 ISO 717/1-96
	188685 with double contact threshold	45 dB	
	188686 with draught excluder	39 dB	
Air permeability	201371 with standard threshold	cl.2	UNI-EN 11026
	185774 with double contact threshold	cl.4	
Water resistance	204888 with standard threshold	cl. 3A	UNI-EN 1027-2001
	185774 with double contact threshold	cl.E900	
Wind resistance	185774	cl.5	UNI-EN 12211
Thermal insulation U = W/m <sup>2</sup> K	568/08 (1 leaf standard + thermal insulation kit)	1,35	UNI-EN 10077/2
	992/08 (2 leafs standard + thermal insulation kit)	1,41	
	825/08 (1 leaf with glass)	1,96	
	994/08 (2 leafs + additional glass)	1,85	
	616/08 (1 leaf Casaclima)	0,6	

**Product description:** Entrance door model **MAXIMA**  
**Notified laboratories:** n° 0407 Istituto Giordano, via Rossini 2, 47841 Bellaria (RM)  
N° 1600 CERT, piazza Borsa 3/B, 31100 Treviso (TV)

Any change made without authorisation by the Producer makes void the scope of conformity decay.

**FAC-SIMILE**

Legal Representative  
Taddei Alberto

Signature:

**SILVELOX**  
le porte per eccellenza

Silvelox S.p.A. - I 38050 CASTELNUOVO (TN) - Viale Venezia, 37  
Tel. +39 0461 755 755 - Fax +39 0461 752 466  
[www.silvelox.com](http://www.silvelox.com) - [silvelox@silvelox.com](mailto:silvelox@silvelox.com)



## DECLARATION OF CONFORMITY

UNI EN 14351-1

The below signer representing the producer  
**SILVELOX S.p.A. I-38050 Castelnuovo (Trento) - Viale Venezia, 37 (legal and production unit)**  
**Tel. +39 0461 755 755 - Fax +39 0461 752 466**

declares that the product Entrance door model PERFECTA has been built in conformity with the following certificates released by Istituto Giordano in Bellaria (RN) and CERT in Treviso:

Requirements	Certificate	Performance	Norm applied
Burglar resistance	186195 + 210313	cl. 4	UNI-EN 1627/28/29/30
Noise reduction	204268 with standard threshold	40 dB	ISO 140/3-95 ISO 717/1-96
	188685 with double contact threshold	45 dB	
	188686 with draught excluder	39 dB	
Air permeability	201371 with standard threshold	cl.2	UNI-EN 11026
	185774 with double contact threshold	cl.4	
Water resistance	204888 with standard threshold	cl. 3A	UNI-EN 1027-2001
	185774 with double contact threshold	cl.E900	
Wind resistance	185774	cl.5	UNI-EN 12211
Thermal insulation U = W/m2K	568/08 (1 leaf standard + thermal insulation kit)	1,35	UNI-EN 10077/2
	992/08 (2 leafs standard + thermal insulation kit)	1,41	
	825/08 (1 leaf with glass)	1,96	
	994/08 (2 leafs + additional glass)	1,85	
	616/08 (1 leaf Casaclima)	0,6	

**Product description:** Entrance door model **PERFECTA**  
**Notified laboratories:** n° 0407 Istituto Giordano, via Rossini 2, 47841 Bellaria (RM)  
N° 1600 CERT, piazza Borsa 3/B, 31100 Treviso (TV)

Any change made without authorisation by the Producer makes this document of conformity decay.

**FAC-SIMILE**

Legal Representative  
Taddei Alberto

Signature:

**SILVELOX**  
le porte per eccellenza

Silvelox S.p.A. - I 38050 CASTELNUOVO (TN) - Viale Venezia, 37  
Tel. +39 0461 755 755 - Fax +39 0461 752 466  
[www.silvelox.com](http://www.silvelox.com) - [silvelox@silvelox.com](mailto:silvelox@silvelox.com)



( UNI EN 14351-1)

## DECLARATION OF CONFORMITY

The below signer representing the producer  
**SILVELOX S.p.A. I-38050 Castelnuovo (Trento) - Viale Venezia, 37 (legal and production unit)**  
**Tel. +39 0461 755 755 - Fax +39 0461 752 466**

declares that the product Entrance door model PERSEO has been built in conformity with the following certificates released by Istituto Giordano in Bellaria (RN) and CERT in Treviso:

Requirements	Certificate	Performance	Norm applied
<b>Burglar resistance</b>	204009, 201506, 207063, 207055	<b>cl. 3</b>	UNI-EN 1627/28/29/30
<b>Noise reduction</b>	204268 (1 leaf)	<b>40 dB</b>	ISO 140/3-95 ISO 717/1-96
	206861 (2 leafs)	<b>29 dB</b>	
	204267 (1 leaf + noise reduction kit)	<b>43 dB</b>	
<b>Air permeability</b>	201371 (1 leaf with threshold)	<b>cl.2</b>	UNI-EN 11026
	201372 (1 leaf with draught excluder)	<b>cl.2</b>	
	204888 (2 leafs with threshold)	<b>cl.3</b>	
	204889 (2 leafs with draught excluder)	<b>cl.3</b>	
<b>Water resistance</b>	201371 (1 leaf with threshold)	<b>cl.2</b>	UNI-EN 1027-2001
	201372 (1 leaf with draught excluder)	<b>cl.0</b>	
	204888 (2 leafs with threshold)	<b>cl.3A</b>	
	204889 (2 leafs with draught excluder)	<b>cl.0</b>	
<b>Wind resistance</b>	201371 (1 leaf with threshold)	<b>cl.3</b>	UNI-EN 12211
	201372 (1 leaf with draught excluder)	<b>cl.3</b>	
	204888 (2 leafs with threshold)	<b>cl.3</b>	
	204889 (2 leafs with draught excluder)	<b>cl.4</b>	
<b>Thermal insulation U = W/m<sup>2</sup>K</b>	823/08 (1 leaf standard) with extension	<b>1,69</b>	UNI-EN 10077/2
	993/08 (2 leafs std+thermal ins. kit) w. e.	<b>1,43</b>	
	824/08 (1 leaf with glass) with extension	<b>1,89</b>	
	973/08 (2 leafs+ additional glass) with extension	<b>1,84</b>	
	617/08 (1 leaf Casaclima) with extension	<b>0,6</b>	

**Product description:** Entrance door model **PERSEO**  
**Notified laboratories:** n° 0407 Istituto Giordano, via Rossini 2, 47841 Bellaria (RM)  
N° 1600 CERT, piazza Borsa 3/B, 31100 Treviso (TV)

**FAC-SIMILE**

Any change made without authorisation by the Producer makes this declaration of conformity decay.

Legal Representative  
Taddei Alberto

Signature:

**SILVELOX**  
le porte per eccellenza

Silvelox S.p.A. - I 38050 CASTELNUOVO (TN) - Viale Venezia, 37  
Tel. +39 0461 755 755 - Fax +39 0461 752 466  
[www.silvelox.com](http://www.silvelox.com) - [silvelox@silvelox.com](mailto:silvelox@silvelox.com)



## DECLARATION OF CONFORMITY

UNI EN 14351-1

The below signer representing the producer  
**SILVELOX S.p.A. I-38050 Castelnuovo (Trento) - Viale Venezia, 37 (legal and production unit)**  
**Tel. +39 0461 755 755 - Fax +39 0461 752 466**

declares that the product Entrance door model OPTIMA has been built in conformity with the following certificates released by Istituto Giordano in Bellaria (RN) and CERT in Treviso:

Requirements	Certificate	Performance	Norm applied
<b>Burglar resistance</b>	204009, 201506, 207063, 207055	<b>cl. 3</b>	UNI-EN 1627/28/29/30
<b>Noise reduction</b>	204268 (1 leaf)	<b>40 dB</b>	ISO 140/3-95 ISO 717/1-96
	206861 (2 leaves)	<b>29 dB</b>	
	204267 (1 leaf + noise reduction kit)	<b>43 dB</b>	
<b>Air permeability</b>	201371 (1 leaf with threshold)	<b>cl.2</b>	UNI-EN 11026
	201372 (1 leaf with draught excluder)	<b>cl.2</b>	
	204888 (2 leaves with threshold)	<b>cl.3</b>	
	204889 (2 leaves with draught excluder)	<b>cl.3</b>	
<b>Water resistance</b>	201371 (1 leaf with threshold)	<b>cl.2</b>	UNI-EN 1027-2001
	201372 (1 leaf with draught excluder)	<b>cl.0</b>	
	204888 (2 leaves with threshold)	<b>cl.3A</b>	
	204889 (2 leaves with draught excluder)	<b>cl.0</b>	
<b>Wind resistance</b>	201371 (1 leaf with threshold)	<b>cl.3</b>	UNI-EN 12211
	201372 (1 leaf with draught excluder)	<b>cl.3</b>	
	204888 (2 leaves with threshold)	<b>cl.3</b>	
	204889 (2 leaves with draught excluder)	<b>cl.4</b>	
<b>Thermal insulation</b> <b>U = W/m<sup>2</sup>K</b>	823/08 (1 leaf standard)	<b>1,68</b>	UNI-EN 10077/2
	454/08 (1 leaf std + thermal insulation kit)	<b>1,19</b>	
	993/08 (2 leaves std+thermal insulation kit)	<b>1,43</b>	
	824/08 (1 leaf with glass)	<b>1,88</b>	
	973/08 (2 leaves + additional glass)	<b>1,83</b>	
	617/08 (1 leaf Casaclima)	<b>0,6</b>	

**Product description:** Entrance door model **OPTIMA**  
**Notified laboratories:** n° 0407 Istituto Giordano, via Rossini 2, 47841 Bellaria (RM)  
N° 1600 CERT, piazza Borsa 3/B, 31100 Treviso (TV)

**FAC-SIMILE**

Any change made without authorisation by the producer makes this declaration of conformity decay.

Legal Representative

Taddei Alberto

Signature:

**SILVELOX**  
le porte per eccellenza

Silvelox S.p.A. - I 38050 CASTELNUOVO (TN) - Viale Venezia, 37  
Tel. +39 0461 755 755 - Fax +39 0461 752 466  
[www.silvelox.com](http://www.silvelox.com) - [silvelox@silvelox.com](mailto:silvelox@silvelox.com)



## DECLARATION OF CONFORMITY

UNI EN 14351-1

The below signer representing the producer  
**SILVELOX S.p.A. I-38050 Castelnuovo (Trento) - Viale Venezia, 37 (legal and production unit)**  
**Tel. +39 0461 755 755 - Fax +39 0461 752 466**

declares that the product Entrance door model PRATIKA has been built in conformity with the following certificates released by Istituto Giordano in Bellaria (RN) and CERT in Treviso:

Requirements	Certificate	Performance	Norm applied
<b>Burglar resistance</b>	204009, 201506, 207063, 207055	<b>cl. 3</b>	UNI-EN 1627/28/29/30
<b>Noise reduction</b>	204268 (1 leaf)	<b>40 dB</b>	ISO 140/3-95 ISO 717/1-96
	206861 (2 leaves)	<b>29 dB</b>	
	204267 (1 leaf + noise reduction kit)	<b>43 dB</b>	
<b>Air permeability</b>	201371 (1 leaf with threshold)	<b>cl.2</b>	UNI-EN 11026
	201372 (1 leaf with draught excluder)	<b>cl.2</b>	
	204888 (2 leaves with threshold)	<b>cl.3</b>	
	204889 (2 leaves with draught excluder)	<b>cl.3</b>	
<b>Water resistance</b>	201371 (1 leaf with threshold)	<b>cl.2</b>	UNI-EN 1027-2001
	201372 (1 leaf with draught excluder)	<b>cl.0</b>	
	204888 (2 leaves with threshold)	<b>cl.3A</b>	
	204889 (2 leaves with draught excluder)	<b>cl.0</b>	
<b>Wind resistance</b>	201371 (1 leaf with threshold)	<b>cl.3</b>	UNI-EN 12211
	201372 (1 leaf with draught excluder)	<b>cl.3</b>	
	204888 (2 leaves with threshold)	<b>cl.3</b>	
	204889 (2 leaves with draught excluder)	<b>cl.4</b>	
<b>Thermal insulation</b> <b>U = W/m<sup>2</sup>K</b>	823/08 (1 leaf standard)	<b>1,68</b>	UNI-EN 10077/2
	454/08 (1 leaf std + thermal insulation kit)	<b>1,19</b>	
	993/08 (2 leaves std+thermal insulation kit)	<b>1,43</b>	
	824/08 (1 leaf with glass)	<b>1,88</b>	
	973/08 (2 leaves + additional glass)	<b>1,83</b>	
	617/08 (1 leaf Casaclima)	<b>0,6</b>	

**Product description:** Entrance door model **PRATIKA**  
**Notified laboratories:** n° 0407 Istituto Giordano, via Rossini 2, 47841 Bellaria (RM)  
N° 1600 CERT, piazza Borsa 3/B, 31100 Treviso (TV)

**FAC-SIMILE**

Any change made without authorisation by the producer makes this declaration of conformity decay.

Legal Representative

Taddei Alberto

Signature:

**SILVELOX**  
le porte per eccellenza

Silvelox S.p.A. - I 38050 CASTELNUOVO (TN) - Viale Venezia, 37  
Tel. +39 0461 755 755 - Fax +39 0461 752 466  
[www.silvelox.com](http://www.silvelox.com) - [silvelox@silvelox.com](mailto:silvelox@silvelox.com)



UNI EN 14351-1

**DECLARATION OF CONFORMITY**

The below signer representing the producer  
**SILVELOX S.p.A. I-38050 Castelnuovo (Trento) - Viale Venezia, 37 (legal and production unit)**  
**Tel. +39 0461 755 755 - Fax +39 0461 752 466**

declares that the product Entrance door model MEDEA has been built in conformity with the following certificates released by Istituto Giordano in Bellaria (RN) and CERT in Treviso:

Requirements	Certificate	Performance	Norm applied
<b>Burglar resistance</b>	204009, 201506, 207063, 207055	<b>cl. 3</b>	UNI-EN 1627/28/29/30
<b>Noise reduction</b>	204268 (1 leaf)	<b>40 dB</b>	ISO 140/3-95 ISO 717/1-96
	206861 (2 leaves)	<b>29 dB</b>	
	204267 (1 leaf + noise reduction kit)	<b>43 dB</b>	
<b>Air permeability</b>	201371 (1 leaf with threshold)	<b>cl.2</b>	UNI-EN 11026
	201372 (1 leaf with draught excluder)	<b>cl.2</b>	
	204888 (2 leaves with threshold)	<b>cl.3</b>	
	204889 (2 leaves with draught excluder)	<b>cl.3</b>	
<b>Water resistance</b>	201371 (1 leaf with threshold)	<b>cl.2</b>	UNI-EN 1027-2001
	201372 (1 leaf with draught excluder)	<b>cl.0</b>	
	204888 (2 leaves with threshold)	<b>cl.3A</b>	
	204889 (2 leaves with draught excluder)	<b>cl.0</b>	
<b>Wind resistance</b>	201371 (1 leaf with threshold)	<b>cl.3</b>	UNI-EN 12211
	201372 (1 leaf with draught excluder)	<b>cl.3</b>	
	204888 (2 leaves with threshold)	<b>cl.3</b>	
	204889 (2 leaves with draught excluder)	<b>cl.4</b>	
<b>Thermal insulation U = W/m<sup>2</sup>K</b>	823/08 (1 leaf standard)	<b>1,68</b>	UNI-EN 10077/2
	454/08 (1 leaf std + thermal insulation kit)	<b>1,19</b>	
	993/08 (2 leaves std+thermal insulation kit)	<b>1,43</b>	
	824/08 (1 leaf with glass)	<b>1,88</b>	
	973/08 (2 leaves + additional glass)	<b>1,83</b>	
	617/08 (1 leaf Casaclima)	<b>0,6</b>	

**Product description:** Entrance door model **MEDEA**  
**Notified laboratories:** n° 0407 Istituto Giordano, via Rossini 2, 47841 Bellaria (RM)  
N° 1600 CERT, piazza Borsa 3/B, 31100 Treviso (TV)

**FAC-SIMILE**

Any change made without authorisation by the producer makes this declaration of conformity decay.

Legal Representative

Taddei Alberto

Signature:

**SILVELOX**  
le porte per eccellenza

Silvelox S.p.A. - I 38050 CASTELNUOVO (TN) - Viale Venezia, 37  
Tel. +39 0461 755 755 - Fax +39 0461 752 466  
[www.silvelox.com](http://www.silvelox.com) - [silvelox@silvelox.com](mailto:silvelox@silvelox.com)



UNI EN 14351-1

**DECLARATION OF CONFORMITY**

The below signer representing the producer  
**SILVELOX S.p.A. I-38050 Castelnuovo (Trento) - Viale Venezia, 37 (legal and production unit)**  
**Tel. +39 0461 755 755 - Fax +39 0461 752 466**

declares that the product Entrance door model VALIDA has been built in conformity with the following certificates released by Istituto Giordano in Bellaria (RN) and CERT in Treviso:

Requirements	Certificate	Performance	Norm applied
Burglar resistance	201505	cl. 2	UNI-EN 1627/28/29/30
Noise reduction	204269	32 dB	ISO 140/3-95
	204272 (with seal on the frame)	37 dB	ISO 717/1-96
Air permeability	201373 e 201374	cl.2	UNI-EN 11026
Water resistance	201374 (with draught excluder)	cl.0	UNI-EN 1027-2001
	201373 (with threshold and seal on the frame)	cl.2	
Wind resistance	201373 and 201374	cl.3	UNI-EN 12211
Thermal insulation U = W/m <sup>2</sup> K	823/08 (1 leaf standard)	1,68	UNI-EN 10077/2

**Product description:** Entrance door model **VALIDA**

**Notified laboratories:** n° 0407 Istituto Giordano, via Rossini 2, 47841 Bellaria (RM)  
n° 1600 CERT, piazza Borsa 3/B, 31100 Treviso (TV)

Any change made without authorisation by the Producer makes this declaration of conformity decay.

**FAC-SIMILE**

Legal Representative  
Taddei Alberto

Signature:

**SILVELOX**  
le porte per eccellenza

Silvelox S.p.A. - I 38050 CASTELNUOVO (TN) - Viale Venezia, 37  
Tel. +39 0461 755 755 - Fax +39 0461 752 466  
[www.silvelox.com](http://www.silvelox.com) - [silvelox@silvelox.com](mailto:silvelox@silvelox.com)



## DECLARATION OF CONFORMITY

UNI EN 14351-1

The below signer representing the producer  
**SILVELOX S.p.A. I-38050 Castelnuovo (Trento) - Viale Venezia, 37 (legal and production unit)**  
**Tel. +39 0461 755 755 - Fax +39 0461 752 466**

declares that the product Entrance door model FLAMMA PLUS has been built in conformity with the following certificates released by Istituto Giordano in Bellaria (RN) and CERT in Treviso:

Requirements	Certificate	Performance	Norm applied
Fire resistance	198205/2749 FR (homologation n° L0212REI060P001)	REI 60	UNI 9723
Burglar resistance	204920 (and TECHNICAL REPORT 207063)	cl. 3	UNI-EN 1627/28/29/30
Noise reduction	204271	39 dB	ISO 140/3-95 ISO 717/1-96
Air permeability	201371	cl.2	UNI-EN 11026
Water resistance	201371	cl.2	UNI-EN 1027-2001
Wind resistance	201371	cl.3	UNI-EN 12211
Thermal insulation U = W/m <sup>2</sup> K	823/08	1,68	UNI-EN 10077/2

**Product description:** Entrance door model **FLAMMA PLUS**  
**Notified laboratories:** n° 0407 Istituto Giordano, via Rossini 2, 47841 Bellaria (RM)  
n° 1600 CERT, piazza Borsa 3/B, 31100 Treviso (TV)

Any change made without authorisation by the Producer makes this declaration of conformity decay.

# FAC-SIMILE

Legal Representative  
Taddei Alberto

Signature:

**SILVELOX**  
le porte per eccellenza

Silvelox S.p.A. – I 38050 CASTELNUOVO (TN) – Viale Venezia, 37  
Tel. +39 0461 755 755 – Fax +39 0461 752 466  
[www.silvelox.com](http://www.silvelox.com) - [silvelox@silvelox.com](mailto:silvelox@silvelox.com)



## DECLARATION OF CONFORMITY

UNI EN 14351-1

The below signer representing the producer  
**SILVELOX S.p.A. I-38050 Castelnuovo (Trento) - Viale Venezia, 37 (legal and production unit)**  
**Tel. +39 0461 755 755 - Fax +39 0461 752 466**

declares that the product Entrance door model RAPIDA has been built in conformity with the following certificates released by Istituto Giordano in Bellaria (RN) and CERT in Treviso:

Requirements	Certificate	Performance	Norm applied
Noise reduction	204269 (leaf)	<b>32 dB</b>	ISO 140/3-95 ISO 717/1-96
	204272 (with seal on the frame)	<b>37 dB</b>	
	204267 (1 leaf + noise reduction kit)	<b>43 dB</b>	
Air permeability	201371 and 201372	<b>cl.2</b>	UNI-EN 11026
Water resistance	201372 (with draught excluder)	<b>cl.0</b>	UNI-EN 1027-2001
	201371 (with threshold and frame seal)	<b>cl.2</b>	
Wind resistance	201371 and 201372	<b>cl.3</b>	UNI-EN 12211
Thermal insulation U = W/m <sup>2</sup> K	823/08 (1 leaf standard)	<b>1,68</b>	UNI-EN 10077/2
	454/08 (1 leaf std + thermal insulation kit.)	<b>1,19</b>	
	824/08 (1 leaf with glass)	<b>1,88</b>	
Security exit	120AD/0 (released by CISA S.p.A.)	<b>Positive</b>	EN 1125:97 + A1:01

**Product description:** Entrance door model **RAPIDA**

**Notified laboratories:** n° 0407 Istituto Giordano, via Rossini 2, 47841 Bellaria (RM)  
n° 1600 CERT, piazza Borsa 3/B, 31100 Treviso (TV)  
n° 0425 ICIM S.p.A. piazza A.Diaz 2, 20123 Milano

Any change made without authorisation by the Producer makes this declaration of conformity decay.

Legal Representative

Taddei Alberto

**FAC-SIMILE**

Signature:

**SILVELOX**  
le porte per eccellenza

Silvelox S.p.A. - I 38050 CASTELNUOVO (TN) - Viale Venezia, 37  
Tel. +39 0461 755 755 - Fax +39 0461 752 466  
[www.silvelox.com](http://www.silvelox.com) - [silvelox@silvelox.com](mailto:silvelox@silvelox.com)

# SILVELOX

le porte per eccellenza

Declarations of conformity  
Entrance doors

SILVELOX S.p.A.  
I-38050 - Castelnuovo (Trento)  
Viale Venezia, 37  
Tel. +39 0461 755 755  
Fax +39 0461 752 466  
[www.silvelox.com](http://www.silvelox.com)  
[silvelox@silvelox.com](mailto:silvelox@silvelox.com)

